



Rum (Ethanol Solution) above 55% vol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179
Date of issue: 18-12-2015 Revision date: 11-6-2018 Supersedes: 2-11-2017 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Rum (Ethanol Solution) above 55% vol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Professional use, Consumer use
Use of the substance/mixture : Alcoholic beverages, Odour agents, Flavouring agents etc.

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

E&A Scheer B.V.
Herengracht 316
1016 CD Amsterdam - The Netherlands
T +31 (0)20 624 34 12 - F +31 (0)20 622 09 76
info@rum.nl - www.rum.nl

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Remark |
|----------------|--|------------------------------------|------------------|---|
| United Kingdom | National Poisons Information Service (Belfast Centre) Royal Victoria Hospital | Grosvenor Road BT12 6BA Belfast | 0344 892 0111 | Only for the purpose of informing medical personnel in cases of acute intoxications |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] with its amendment Regulation (EU) 2016/1179 Mixtures/Substances:

SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Flammable liquids, Category 2 H225

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] with its amendment Regulation (EU) 2016/1179

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) : Danger
Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.
Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P233 - Keep container tightly closed.
P501 - Dispose of contents/container to an approved waste disposal plant.
Child-resistant fastening : Not applicable
Tactile warning : Applicable

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Rum (Ethanol Solution) above 55% vol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

3.2. Mixtures

| Name | Product identifier | Conc. (% w/w) | Classification according to Regulation (EC) No. 1272/2008 [CLP] with its amendment Regulation (EU) 2016/1179 |
|------------------------|---|---------------|--|
| ethanol; ethyl alcohol | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43 | >= 55 | Flam. Liq. 2, H225 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. |
| First-aid measures after skin contact | : Rinse skin with water/shower. Get medical advice if skin irritation persists. |
| First-aid measures after eye contact | : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/effects after skin contact | : Prolonged or repeated contact may cause skin to become dry or cracked. |
| Symptoms/effects after eye contact | : May cause eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|--|
| Fire hazard | : Highly flammable liquid and vapour. |
| Explosion hazard | : No direct explosion hazard. |
| Hazardous decomposition products in case of fire | : For further information, refer to section 10 : "Stability and Reactivity". |

5.3. Advice for firefighters

| | |
|--------------------------------|---|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| Other information | : Prevent fire fighting water from entering the environment. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Emergency procedures | : Evacuate unnecessary personnel. NO open flames, NO sparks, and NO smoking. |
|----------------------|--|

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Equip cleanup crew with proper protection. For further information refer to section 13. |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| Methods for cleaning up | : Take up liquid spill into absorbent material. Mechanically recover the product. Notify authorities if product enters sewers or public waters. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 13. Concerning disposal elimination after cleaning, see section 13.

Rum (Ethanol Solution) above 55% vol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Concerning personal protective equipment to use, see section 8. Provide good ventilation in process area to prevent formation of vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Wear personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Keep only in the original container in a cool well ventilated place. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Keep container tightly closed.
- Heat and ignition sources : Keep away from heat and direct sunlight.
- Packaging materials : Store in glass, stainless steel, plastic or epoxy lined receptacles. Unsuitable materials: copper, Aluminium.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol; ethyl alcohol (64-17-5)

| | | |
|----------------|------------------------------|------------------------|
| United Kingdom | Local name | Ethanol |
| United Kingdom | WEL TWA (mg/m ³) | 1920 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 1000 ppm |
| United Kingdom | Regulatory reference | EH40. HSE |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

In case of repeated or prolonged contact wear gloves. Polyvinylchloride (PVC). 0.11 mm. EN 374

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. In case of inadequate ventilation wear respiratory protection.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Colour : various colors.
- Odour : characteristic.
- Odour threshold : No data available.
- pH : 4 - 8,5
- Relative evaporation rate (butylacetate=1) : No data available.
- Melting point : -130 - -112 °C
- Freezing point : No data available.
- Boiling point : > 78,3 °C

Rum (Ethanol Solution) above 55% vol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

| | | | | |
|----------------------------------|---|--------------------|------------------|------------------|
| Flash point | : | 55 %vol. 23,0 | 70 %vol. 21,0 | 85 %vol. 18,5 |
| | | 60 %vol. 22,0 | 75 %vol. 20,5 | 90 %vol. 16,5 |
| | | 65 %vol. 21,5 | 80 %vol. 20,0 | 95 %vol. 14,0 |
| Auto-ignition temperature | : | 363 °C | | |
| Decomposition temperature | : | No data available. | | |
| Flammability (solid, gas) | : | No data available. | | |
| Vapour pressure | : | 3,3 - 19 % v/v | | |
| Relative vapour density at 20 °C | : | 59 mm Hg | | |
| Relative density | : | 55 %vol. 0,91996 | 70 %vol. 0,88556 | 85 %vol. 0,84485 |
| | | 60 %vol. 0,90911 | 75 %vol. 0,87279 | 90 %vol. 0,82918 |
| | | 65 %vol. 0,89765 | 80 %vol. 0,85927 | 95 %vol. 0,81138 |
| Solubility | : | Soluble in water. | | |
| Log Pow | : | No data available. | | |
| Viscosity, kinematic | : | No data available. | | |
| Viscosity, dynamic | : | No data available. | | |
| Explosive properties | : | No data available. | | |
| Oxidising properties | : | No data available. | | |
| Explosive limits | : | No data available. | | |

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Extremely high or low temperatures. Keep out of direct sunlight. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Combustion generates : Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | | |
|-----------------------------|---|----------------|
| Acute toxicity (oral) | : | Not classified |
| Acute toxicity (dermal) | : | Not classified |
| Acute toxicity (inhalation) | : | Not classified |

ethanol; ethyl alcohol (64-17-5)

| | |
|---|---------------------------------|
| LD50 oral | 10470 mg/kg bodyweight |
| LD50 dermal | 15800 mg/kg bodyweight |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | > 99999 mg/l |
| Skin corrosion/irritation | : Not classified pH: 4 - 8,5 |
| Serious eye damage/irritation | : Not classified pH: 4 - 8,5 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

Rum (Ethanol Solution) above 55% vol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified
Chronic aquatic toxicity : Not classified

ethanol; ethyl alcohol (64-17-5)

| | |
|--------------------------------|---------------------|
| LC50 fishes 1 | 14200 mg/l |
| EC50 other aquatic organisms 1 | 5012 mg/l waterflea |
| EC50 other aquatic organisms 2 | 275 mg/l |

12.2. Persistence and degradability

Rum (Ethanol Solution) above 55% vol

Persistence and degradability : Not established.

12.3. Bioaccumulative potential

Rum (Ethanol Solution) above 55% vol

Bioaccumulative potential : Not established.

ethanol; ethyl alcohol (64-17-5)

Log Pow : -0,32

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

Rum (Ethanol Solution) above 55% vol

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Empty containers should be taken for recycle, recovery or waste in accordance with local regulation. Flammable vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|---|--|---------------------------------------|--|--|
| 14.1. UN number | | | | |
| 1170 | 1170 | 1170 | 1170 | 1170 |
| 14.2. UN proper shipping name | | | | |
| ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) | ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) | ETHYL ALCOHOL SOLUTION | ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) | ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| Transport document description | | | | |
| UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E) | UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II | UN 1170 ETHYL ALCOHOL SOLUTION, 3, II | UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II | UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II |
| 14.3. Transport hazard class(es) | | | | |
| 3 | 3 | 3 | 3 | 3 |

Rum (Ethanol Solution) above 55% vol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179



14.4. Packing group

| | | | | |
|----|----|----|----|----|
| II | II | II | II | II |
|----|----|----|----|----|


14.5. Environmental hazards

| | | | | |
|------------------------------------|---|------------------------------------|------------------------------------|------------------------------------|
| Dangerous for the environment : No | Dangerous for the environment : No Marine pollutant : No | Dangerous for the environment : No | Dangerous for the environment : No | Dangerous for the environment : No |
|------------------------------------|---|------------------------------------|------------------------------------|------------------------------------|

No supplementary information available.

14.6. Special precautions for user

Overland transport

| | |
|---|---|
| Classification code (ADR) | : F1 |
| Special provisions (ADR) | : 144, 601 |
| Limited quantities (ADR) | : 1I |
| Excepted quantities (ADR) | : E2 |
| Packing instructions (ADR) | : P001, IBC02, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T4 |
| Portable tank and bulk container special provisions (ADR) | : TP1 |
| Tank code (ADR) | : LGBF |
| Vehicle for tank carriage | : FL |
| Transport category (ADR) | : 2 |
| Special provisions for carriage - Operation (ADR) | : S2, S20 |
| Hazard identification number (Kemler No.) | : 33 |
| Orange plates | :  |

| | |
|-------------------------------|--------|
| Tunnel restriction code (ADR) | : D/E |
| EAC code | : •2YE |

Transport by sea

| | |
|------------------------------------|---|
| Special provisions (IMDG) | : 144 |
| Limited quantities (IMDG) | : 1 L |
| Excepted quantities (IMDG) | : E2 |
| Packing instructions (IMDG) | : P001 |
| IBC packing instructions (IMDG) | : IBC02 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP1 |
| EmS-No. (Fire) | : F-E |
| EmS-No. (Spillage) | : S-D |
| Stowage category (IMDG) | : A |
| Properties and observations (IMDG) | : Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19% Miscible with water. |
| MFAG-No | : 127 |

Air transport

| | |
|--|-----------------|
| PCA Excepted quantities (IATA) | : E2 |
| PCA Limited quantities (IATA) | : Y341 |
| PCA limited quantity max net quantity (IATA) | : 1L |
| PCA packing instructions (IATA) | : 353 |
| PCA max net quantity (IATA) | : 5L |
| CAO packing instructions (IATA) | : 364 |
| CAO max net quantity (IATA) | : 60L |
| Special provisions (IATA) | : A3, A58, A180 |

Rum (Ethanol Solution) above 55% vol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 144, 601
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 144, 601
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001, IBC02, R001
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions (RID) : TP1
Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

| | |
|--|---|
| 3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 | ethanol; ethyl alcohol |
| 3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F | Rum (Ethanol Solution) above 55% vol - ethanol; ethyl alcohol |
| 40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. | ethanol; ethyl alcohol |

Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances
Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Revised safety data sheet in accordance with commission regulation (EU) No 2016/1179.

Rum (Ethanol Solution) above 55% vol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

| Section | Changed item | Change | Comments |
|---------|------------------------------------|----------|----------|
| | Limited quantities (IMDG) | Modified | |
| | Proper Shipping Name (IMDG) | Modified | |
| | Properties and observations (IMDG) | Modified | |
| | Proper Shipping Name (IATA) | Modified | |
| | Limited quantities (RID) | Modified | |
| | Proper Shipping Name (RID) | Modified | |
| | Limited quantities (ADN) | Modified | |
| | UN-No. (RID) | Modified | |
| | Special provisions (IMDG) | Added | |
| | Supersedes | Modified | |
| | Revision date | Modified | |
| | Carriage permitted (ADN) | Added | |
| | Special provisions (IATA) | Added | |
| | Special provisions (RID) | Added | |
| 1.2 | Use of the substance/mixture | Modified | |
| 9.1 | Flash point | Added | |
| 14.1 | UN-No. (ADR) | Modified | |
| 14.1 | UN-No. (IMDG) | Modified | |
| 14.1 | UN-No. (IATA) | Modified | |
| 14.1 | UN-No. (ADN) | Modified | |
| 14.2 | Proper Shipping Name (ADR) | Modified | |
| 14.2 | Proper Shipping Name (ADN) | Modified | |
| 14.6 | Limited quantities (ADR) | Modified | |
| 14.6 | Special provisions (ADR) | Added | |
| 14.6 | Special provisions (ADN) | Added | |
| 15.1 | REACH Annex XVII | Added | |

Abbreviations and acronyms:

| | |
|--------|---|
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| PBT | Persistent Bioaccumulative Toxic |
| vPvB | Very Persistent and Very Bioaccumulative |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| SDS | Safety Data Sheet |
| CAS | CAS (Chemical Abstracts Service) number |
| EG-nr | EINECS- en ELINCS-number |
| EINECS | European Inventory of Existing Commercial Substances |

Data sources : according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179.

Rum (Ethanol Solution) above 55% vol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

Other information

: REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number).
DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

| Full text of H- and EUH-statements: | |
|-------------------------------------|-------------------------------------|
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| H225 | Highly flammable liquid and vapour. |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---|------|-----------------------|
| Flam. Liq. 2 | H225 | On basis of test data |

Safety Data Sheet applicable for regions

: GB - United Kingdom

This Safety Data Sheet is compiled by :

Trade Wind B.V. (info@twnl.nl)

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product